



Section I - Product Identification

Product Name:	QC Sure Trac and QC Extra Sure Trac		
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045		
Chemical Name:	N/A		
Chemical Family:	N/A		
Chemical Formula:	Proprietary		
D.O.T. Hazard Class:	Paint related material		
Appearance & Odor:	White powder, no odor		
Emergency Telephone Number:	CHEMIR EC (800) 424-9300		
Telephone Number for Information:	956 622 7677		
Product Use:			

Section II - Hazards Identification

Hazard Symbol:



Emergency Overview

Powder. May cause coughing and wheezing. Dust may irritate respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation :	May cause coughing and wheezing. Dust may irritate respiratory tract.
Eyes :	Dust may cause eye irritation. May cause mechanical irritation or abrasion. Direct contact
	may cause temporary redness and discomfort.
Ingestion :	May cause gastrointestinal irritation, nausea, and vomiting.
Skin :	May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

No known affects anticipated

Section III - Product Composition

Composition	Weight %	<i>CAS No.</i> 9003-07-0	
Polypropylene	> 60.0		
QC Sure Trac and QC Extra Sure Trac		REV 2016	

Section IV - First Aid Measures

Get immediate medical attention for any significant overexposure.

Inhalation:	Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
Skin Contact:	Clean area of contact thoroughly using soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
Eye Contact:	Flush with water for 15 minutes. If irritation persists, get medical attention.
Ingestion:	Do not induce vomiting unless advised by a physician. Call nearest Poison Control Center or Physician immediately.

Section V - Fire Fighting Measure

Flash Point:	Not Avaible
Lowder explosion limit:	Not Avaible
upper explosion limit:	Not Avaible
autoignition temperature:	Not Avaible
Exringuishing Media:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products:	Use that which is appropiated to the surroundings. Not Avaible
Protective equipment for firefighters:	Not Applicable. Product is not expected to burn.
Fire and explosion condition:	This product not expected to ignite under normal conditions of use.

Section VI - Accidental Release Measures

Use appropriate protective equipment. Avoid contact with material. Dampen material with to control dusting. Scoop up and transfer to appropriate container for disposal. flush spill area with water.

Section VII - Handling and Storage

Store under normal warehouse conditions in sealed containers. Handle in compliance with common hygienic practices. Clean hands thoroughly after handling.

Section VIII - Exposure Controls / Personal Protection

Respiratory protection : Wear appropriate, properly fitted NIOSH/MSHA approved dust respirator where airborne concentrations are expected to exceed exposure limits indicated on the MSDS. Follow manufacturer's directions for respirator use.

Hand protection : Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.

Eye protection :	Wear appropriate eye protection.
Skin and body protection :	Prevent contact with shoes and clothing. Use rubber apron and overshoes.
Protective measures :	Use professional judgment in the selection, care, and use.

Engineering measures : Use only in well ventilated areas. Provide maximum ventilation in enclosed areas. Use local exhaust when the general ventilation is inadequate.

Work/Hygiene Practices

Wash hands after use and before eating, drinking or smoking.

_	Chemical Name:	CAS Number:	Regulatión:	Limit:	Form:
-	Polypropylene	9003-07-0	ACGIH TWA: ACGIH TWA: OSHA PEL: OSHA PEL: OSHA TWA:	3 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3	Respirable particles Inhalable particles Total dust. Respirable fraction. Total dust.
			OSHA TWA:	5 mg/m3	Respirable fraction.

Section IX - Physical and Chemical Properties

Form :	Powder
Odor :	Waxy
pH:	Not available.
Vapour pressure :	Not available.
Vapor density :	Not available.
Melting point/range :	Not available.
Freezing point :	Not available.
Boiling point/range :	Not available.
Water solubility :	Not available.
Specific Gravity :	0.9
% Volatile Weight :	0.0 %

Section X - Reactivity / Estability

Substances to avoid :	Not Applicable.
Stability :	Material is stable under normal storage, handling, and use.
Hazardous polymerization :	Will not occur under normal conditions.

Section XI - Toxicological Information

No Data available

Section XII - Ecological Information

No Data Available

Section XIII - Disposal Considerations

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

Section XIV - Transportation / Shipping Data

CFR / DOT: Not Regulated

TDG: Not Regulated

IMDG: Not Regulated

Section XV - Regulatory Information

North American Inventories:

All components are listed or exemp from the TSCA inventory. This product or its components are lised on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : SARA 311/312 Hazards :	None present or none present in regulated quantities. Acute Health Hazard, Chronic Health Hazard	
OSHA Hazardous Components :	Polypropylene 1592-23-0	
OSHA Status: Considered hazardous based on the following criteria: Irritant		
OSHA Flammability :	Not Regulated	
Regulatory VOC (less water and exempt solvent): 0 g/l		
VOC Method 310 :	0 %	

Section XV - Regulatory Information

U.S. State Regulations:

Penn RTK Components :		
	Polypropylene	CAS: 9003-07-0
NJ RTK Components :		
	Polypropylene	CAS: 9003-07-0
Components under California	Proposition 65:	

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm

Section XVI - Other Information

HMIS Rating :	HEALT FLAMMABILITY REACTIVITY PPE	1 1 0	0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe
			4 - 3evele

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act RCRA - Resource Conservation and Recovery Act DOT - Department of Transportation RTK - Right To Know DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act EPA - Environmental Protection Agency STEL - Short Term Exposure Limit HMIS - Hazardous Materials Information System TLV - Threshold Limit Value IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act MSHA - Mine Safety Health Administration TWA - Time Weighted Average NDSL - Non-Domestic Substance List V - Volume NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound NTP - National Toxicology Program WHMIS - Workplace Hazardous Materials Information System OSHA - Occupational Safety and Health Administration

Section XVI - Other Information

References:

DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product :

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label. 10.05M QC Sure Trac and QC Extra Sure Trac