



~	,
HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	1
PERSONAL PROTECTION	D

### Section I - Product Identification

Date. 2016

Product Name:	QC Patina Stain Extender Dilution Liquid		
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045		
Chemical Name:	Inorganic acid		
Chemical Family:	Inorganic salts/acids		
Chemical Formula:	Proprietary		
D.O.T. Hazard Class:	Corrosive liquid, acidic, inorganic, N.O.S., (Hydrochloric Acid, Solution), 8, UN3264, PGIII, ERG#153		
Appearance & Odor:	Clear liquid, chlorine odor		
Emergency Telephone Number:	CHEMTREC (800) 424-9300		
Telephone Number for Information:	956 622 7677		
Product Use:			

### Section II - Hazards Identification

Hazard Symbol:









#### **Emergency Overview**

Liquid. May cause mucous membrane irritation. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

### Acute Potential Health Effects/ Routes of Entry

Inhalation : May cause mucous membrane irritation.

Eyes: May cause irreversible damage and burns to the eyes.

Ingestion: May cause burns to lips, tongue, oral mucosa, esophagus and stomach.

Skin: May cause severe burns, blistering and skin damage.

#### Agravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

### Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal

conditions of use.

Target Organs: Skin, Lung, Eye

## Section III - Product Composition

C omposition	%	CAS Number
Hydrogen Chloride	0 - 50	7647-01-0

#### Section IV - First Aid Measures

Get immediate medical attention for any significant overexposure.

Inhalation: Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Eye contact: Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.

Skin contact: Remove from skin and immediately flush with water for 15 minutes. Get medical attention.

Ingestion: Get medical attention. Do not induce vomiting.

### Section V - Fire Fighting Measure

Flash point : Not available.

Method: Not available.

Lower explosion limit : Not available.

Upper explosion limit: Not available.

Autoignition temperature : Not available.

Extinguishing media: This product is not expected to burn under normal conditions of use.

Hazardous combustion products: Carbon monoxide, carbon dioxide, and nitrogen oxides.

Protective equipment for firefighters: Use accepted fire fighting techniques. Wear full firefighting protective

clothing, including self-contained breathing apparatus (SCBA).

Fire and explosion conditions: This product not expected to ignite under normal conditions of use.

### Section VI - Accidental Release Measures

Neutralize with alkaline material. Do not store in steel drums. Absorb spill in sand, earth or other suitable material.

### Section VII - Handling and Storage

Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Change soiled work clothes frequently. Clean hands thoroughly after handling. Store under normal warehouse conditions in sealed containers. Do not store or use near food.

#### Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respiratory protection: Use full engineering controls before relying on personal protective equipment.

Hand protection: Protect hands with impervious gloves.

Eye protection: Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear

contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye

washing facilities readily available.

Skin and body protection: Prevent contact with shoes and clothing. Use rubber apron and overshoes.

### Section VIII - Exposure Controls / Personal Protection

Protective measures: Use professional judgment in the selection, care, and use.

Engineering measures: Not required under normal conditions of use. Use local exhaust when the general ventilation

is inadequate.

Work/Hygiene Practices

Exercise stringent hygiene practices to minimize exposure. If contact occurs, wash any body part with soap and water immediately. Wash hands after use, and before eating, drinking or smoking.

## Section IX - Physical and Chemical Properties

Form: Liquid
Color: Buckwheat
Odor: Pungent
pH: < 1

Vapour pressure:

Vapor density:

Melting point/range:

Freezing point:

Boiling point/range:

Water solubility:

Specific Gravity:

Not available.

Not available.

Not available.

Not available.

1.1344

% Volatile Weight: 78.3 %

#### Section X - Reactivity / Estability

Substances to avoid: Metal.Strong bases.Oxidizing agents.

Stability: Stable

Hazardous polymerization: Will not occur.

# Section XI - Toxicological Information

Hydrogen chloride, CAS-No.: 7647-01-0

Acute oral toxicity (LD-50 oral) 900 mg/kg (Rabbit)

Acute inhalation toxicity (LC-50) 3,124 mg/l for 1 h (Rat) 1,108 mg/l for 1 h (Mouse)

Acute dermal toxicity (LD-50 dermal) 1,449 mg/kg ( Mouse )

## Section XII - Ecological Information

No Data Available

## Section XIII - Disposal Considerations

RCRA Class: D007: Reportable Quantity = 10 lbs. Chromium

This classification applies only to the material as it was originally produced.

Page 3 of 5

Disposal Method: Subject to hazardous waste treatment, storage, and disposal requirements under

RCRA. Recycle or incinerate waste at EPA approved facility or dispose of in compliance with federal,

state and local regulations.

# Section XIV - Transportation / Shipping Data

CFR / DOT: UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid), 8, PG III

TDG: UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III

IMDG: UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III

Further Information: The above shipping description.

### Section XV - Regulatory Information

#### North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

#### U.S. Federal Regulations:

SARA 313 Components:

Hydrogen chloride CAS: 7647-01-0

SARA 311/312 Hazards: Acute Health Hazard

OSHA Hazardous Components: Ferrous Chloride CAS: 7758-94-3 Hydrogen chloride CAS: 7647-01-0

OSHA Status: Considered hazardous based on the following criteria:

OSHA Flammability: Not Regulated

Regulatory VOC (less water and exempt solvent): 0 g/l

VOC Method 310:0%

#### U.S. State Regulations:

MASS RTK Components:

Hydrogen chloride CAS: 7647-01-0

Penn RTK Components:

Hydrogen chloride CAS: 7647-01-0

NJ RTK Components:

Hydrogen chloride CAS: 7647-01-0

Components under California Proposition 65: None known.

### Section XVI - Other Information

#### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

RCRA - Resource Conservation and Recovery Act

DOT - Department of Transportation RTK - Right To Know

DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act

EPA - Environmental Protection Agency STEL - Short Term Exposure Limit

HMIS - Hazardous Materials Information System TLV - Threshold Limit Value

IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act

MSHA - Mine Safety Health Administration TWA - Time Weighted Average

NDSL - Non-Domestic Substance List V - Volume

NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound

NTP - National Toxicology Program

WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Safety and Health Administration

#### References:

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response,

Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation

EINECS: European Inventory of Existing Commercial

chemical Substances

ENCS: Existing and New Chemical Substances IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

Inh: Inhalation

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Ap: Not Applicable
N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NOEC: No observable effect concentration

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values for Chemical Sunstances and Physical Agents & Biological Exposure Indices for 2015.

2. International Agency for Research on Cancer Monographs, searched 2015.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).

4. Material Safety Data Sheet from manufacturer.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015

5. US EPA Title III List of Lists

6. California Proposition 65 List

#### DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties

and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product:

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label.

10.05M

QC Patina Stain Extender Dilution Liquid

**REV 2016**