



## Section I - Product Identification

Jaie. Zu il	D	ate.	2	01	16
-------------	---	------	---	----	----

Product Name	QC Renew Solid Color Stain		
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045		
Cdor Name:	All Colors		
Chemical Name	Water Based Paint		
Chemical Family:	Water Based Paint		
Chemical Formula:	Propietary		
Emergency Telephone Number:	CHEMTREC (800) 424-9300		
Telephone Number for Information:	956 622 7677		

Product Use:

## Section II - Hazards Identification

Hazard Symbol:







#### **Hazard Statement:**

May cause eye irritation May cause skin irritation

May cause irritation if ingested May cause respiratory irritation

#### **Precautionary Statement:** Prevention

Wear Safety goggles to protect eyes.

Wear chemically resistant gloves and aprons to minimize contact with the skin.

When respiratory protection is required, use only NIOSH/MSHA approved respirators in accordance with OSHA Standard 29 CFR1910.134.

Use only with adequate ventilation.

Do not take internally.

Keep out of the reach of children.

Keep container tightly closed and upright when not in use.

Wash hands thoroughly after handling, especially before eating or smoking.

## Section III - Product Composition

Chemical Name	CAS Number	Weight	
Acetic Acid	64-19-7	0-10%	
Ethylene Glycol	107-21-1	0-10%	
Titanium Dioxide	13463-67-7	0-10%	
Yellow Iron Oxide	51274-00-1	0-10%	
Red Iron Oxide	65997-15-1	0-10%	
Black Iron Oxide	1309-37-1	0-10%	
Bisphenol A Diglycidil Ether Resin	25085-99-8	0-20%	
0,0 Bis (2-Aminopropyl) Polipropylen Glicol	9046-10-0	0-20%	
Tetraethylene Pentamine	112-57-2	0-20%	

## Section IV - First Aid Measures

Precautionary Statements: Response

Inhalation: Move to fresh air. Give artificial respiration, if not breathing. If breathing is difficult, seek medical attention.

**Ingestion:** Seek medical attention immediately.

**Eye Exposure:** Immediately flush eyes with large amount of water for at least 15 minutes, occasionally lifting upper and lower eyelids.

**Skin Contact:** Wash exposed area with water, then soap and water. Remove and clean contaminated clothing. If irritation persists, seek medical attention.

## Section V - Fire Fighting Measure

Suitable Extinguishing Media: Use water fog, dry chemical, or CO2

Unsuitable Extinguishing Media: Not Known

Specific Hazards in Case of a Fire: Keep containers tightly closed.

**Special Protective Equipment and Procedures for Firefighters:** Wear self-contained breathing apparatus with a full-face piece operated in positive pressure mode and full protective clothing. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

#### Section VI - Accidental Release Measures

Personal Precautions: Wear personal protective equipment.

**Environmental Precautions:** Absorb spills with sand, clay, minerals or any suitable any absorbent material, like Newlook's Absorbent. Sweep and place material in waste receptacle. Dispose if waste in accordance with applicable local, county, state and federal regulations. Avoid discharge into natural waters.

### Section VII - Handling and Storage

**Precautions for Safe Handling:** Avoid extreme temperatures, DO NOT FREEZE. Store in a cool, dry place with adequate ventilation.

## Section VIII - Exposure Controls / Personal Protection

Chemical Name	ACGIH TLV	OSHA PEL
Bisphenol A Diglycidil Ether Resin	N/A	N/A
0,0 Bis (2-Aminopropyl) Polipropylen Glicol	N/A	N/A
Tetraethylene Pentamine	N/A	N/A
Proprietary Blend	N/A	N/A
Acetic Acid	25 mg/m3	10 ppm
Ethylene Glycol	N/A	50 ppm
Titanium Dioxide	10 mg/m3	10 mg/m3
Yellow Iron Oxide	5 mg/m3	10 ppm
Red Iron Oxide	5 mg/m3	10 ppm
Black Iron Oxide	5 mg/m3	10 ppm

## Section VIII - Exposure Controls / Personal Protection

Personal protection equipment



**Information on System Design:** Provide diluted ventilation or local exhaust to prevent build-up of vapors. Keep out of the reach of children. Keep containers closed and upright when not in use.

#### **Appropriate Engineering Controls:**

## Engineering Controls:

**Eyewash Stations Showers** 

Eye Protection: Wear safety goggles.

Skin Protection: Wear chemically resistant gloves and aprons to minimize contact with the skin.

**Respiratory Protection:** Use only with adequate ventilation. Avoid conditions, which result in formation of inhalable particles, such as spraying or sanding painted surfaces. Is such conditions cannot be avoided, use respiratory protection only use NIOSH/MSHA approved respirators in accordance with OSHA standard 29 CFR1910.134.

General Hygiene Considerations: Wash hands thoroughly after handling, especially before eating or smoking.

## Section IX - Physical and Chemical Properties

Physical State: Liquid/Powder Color: Various Odor: Slight Odor Threshold: N/A pH Value: N/A

Melting Point: 32°F (0°C)
Freezing Point: Not Available
Initial Boiling Point: 212°F (100°C)

Flash Point: N/A

Evaporation Rate: Slower than Ether Flammability (solid, gas): Not Available

Explosion Limits: Lower Limits: N/A Upper Limits: N/A Vapor Pressure: N/A

Vapor Density: Heavier than Air Solubility: Soluble in Water

Auto Ignition Temperature: N/A VOC: 0

#### Section X - Reactivity / Estability

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Freezing temperatures. Keep away from heat and open flames. Materials to Avoid: Oxidizing

agents or strong alkalis.

Hazardous Decomposition Products: Will not occur

## Section XI - Toxicological Information

Routes of Entry: Inhalation and Ingestion Toxicity to Animals: Not Established

Chronic Effects on Humans: Not Established

Special Remarks on Toxicity: Unlikely to cause harmful effects under recommended conditions of handling and use.

## Section XII - Ecological Information

**Eco-toxicity:** Not Established **BODS and COD:** Not Established

Products and Biodegradation: Not Established

Special Remarks on the Product of Biodegradation: Ingress to waterways may cause persistent, pigmented turbidity.

## Section XIII - Disposal Considerations

Waste Disposal Method: For large quantities, place material in a settling pond and add ferric chloride and lime. Decant water. Dispose of solids in landfill. Emulsion can be incinerated under appropriate conditions. Disposal should be in accordance with local, state and national legislation. This product is not classified as a hazardous waste under the authority of the RCRA (400CFR 261) or CERCLA (40CFR 117/302)

## Section XIV - Transportation / Shipping Data

**DOT Proper Shipping Name:** Water-based Paint

DOT Hazard Class ID Number: Non-hazardous, Not required, Class 55

## Section XV - Regulatory Information

SARA (Title III) Section 313: Not subject to Reporting Requirements

TSCA (5/1997): All components are on the TSCA inventory list.

**Federal Hazardous Substance Act:** Product is a hazardous substance subject to statutes promulgated under the Subject Act.

Canadian Environmental Protection Act: Not Listed

**Canadian WHMIS:** Considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and subject to the requirements of Health Canada's WHMIS. This product has been classified according to the hazard criteria of the Controlled Products Regulation (CPR). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

#### Section XVI - Other Information

HMIS Rating:

 HEALT
 2
 0 = Minimum

 FLAMMABILITY
 1
 1 = Slight

 REACTIVITY
 0
 2 = Moderate

 PPE
 3 = Serious

 4 = Severe

#### Section XVI - Other Information

#### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

#### Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

RCRA - Resource Conservation and Recovery Act

DOT - Department of Transportation RTK - Right To Know

DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act

EPA - Environmental Protection Agency STEL - Short Term Exposure Limit HMIS - Hazardous Materials Information System TLV - Threshold Limit Value

IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act

MSHA - Mine Safety Health Administration TWA - Time Weighted Average

NDSL - Non-Domestic Substance List V - Volume

NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound

NTP - National Toxicology Program

WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Safety and Health Administration

#### References:

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response.

Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation

EINECS: European Inventory of Existing Commercial

chemical Substances

ENCS: Existing and New Chemical Substances IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

Inh: Inhalation

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Ap: Not Applicable

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

N/Av: Not Available

NOEC: No observable effect concentration

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values for Chemical Sunstances and Physical Agents & Biological Exposure Indices for 2015.

2. International Agency for Research on Cancer Monographs, searched 2015.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).

4. Material Safety Data Sheet from manufacturer.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,

2015

5. US EPA Title III List of Lists

6. California Proposition 65 List

#### **DISCLAIMER**

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product:

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label.

10.05M

QC Renew Color Solid Stain

QC Renew Color Solid Stain

**REV 2016**