



HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	G

Section I - Product Identification

201	16
	201

Product Name:	QC Release Powder II	
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045	
Chemical Name:	Release Powder, Hydrophobic Powder	
Chemical Family:	Mixture	
Chemical Formula:	Proprietary	
D.O.T. Hazard Class:	N/A	
Appearance & Odor:	Light, fluffy powder of various colors having an earthy odor.	
Emergency Telephone Number:	CHEMTREC (800) 424-9300	
Telephone Number for Information:	956 622 7677	
Product Use:		

Section II - Hazards Identification

Hazard Symbol:





Emergency Overview

Powder. May cause coughing and wheezing. Dust may irritate respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation: May cause coughing and wheezing. Dust may irritate respiratory tract.

Eyes: Dust may cause eye irritation. May cause mechanical irritation or abrasion.

Direct contact may cause temporary redness and discomfort.

Ingestion: May cause gastrointestinal irritation, nausea, and vomiting.

Skin: May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica. Prolonged inhalation of mica airborne dust can produce scar tissue in the lungs.

Section III - Product Composition

Composition	Weight %	CAS Number
Crystalline Silica (Quartz)/Silica Sand Calcium stearate	Proprietary Proprietary	14808-60-7 1592-23-0
Iron Oxides	1.0 - 5.0 1.0 - 5.0 1.0 - 5.0	1309-37-1 51274-00-1 1317-61-9
Chrome Oxide Cobalt Oxide Titanium Dioxide	1.0 - 5.0 1.0 - 5.0 1.0 - 5.0	1308-38-9 1307-96-6 13463-67-7

Section IV - First Aid Measures

Inhalation: Remove from work area into fresh air; administer artificial respiration by qualified person if breathing

has stopped. Seek immediate medical attention.

Skin Contact: Wash with soap and water, see physician if irritation persists.

Eye Contact: Flush with large amount of water, see a physician if irritation persists.

Ingestion: Do not induce vomiting. If large amount is swallowed and breathing is difficult, seek immediate medical

attention. Have person drink approximately 10 oz. of water to dilute material in stomach.

Section V - Fire Fighting Measure

Flash Point: N/A
Flammable Limits: N/A
Firefighting Media: N/A
Special Firefighting Procedure: N/A
Unusual Fire Hazards: N/A

Inhalation: Acute exposure may cause irritation to the upper respiratory system. Symptoms are coughing, sneezing,

wheezing, nose irritation and some difficulty in breathing. No reported health effects to long time exposure. Crystalline silica is a minor impurity found in one of the raw materials, but at the level found in this finished product it is not considered to be carcinogenic by OSHA, NTP or IARC. Persons with existing pulmonary

disorders should avoid breathing any dust generated during the use of this product.

Skin Contact: Mild irritation, NIOSH RTECS IRDS: SKN-HMN 300 ug/3D-1 MLD

Eye Contact: Irritation

Ingestion: Not carcinogenic, may irritate and cause gagging, coughing and choking

Section VI - Accidental Release Measures

Use appropriate protective equipment. Avoid contact with material. Dampen material with water to control dusting. Scoop up and transfer to appropriate container for disposal. Flush spill area with water.

Section VII - Handling and Storage

Store under normal warehouse conditions in sealed containers. Handle in compliance with common hygienic practices. Clean hands thoroughly after handling.

Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respiratory protection: Wear appropriate, properly fitted NIOSH/MSHA approved dust respirator where airborne concentrations are expected to exceed exposure limits indicated on the MSDS. Follow manufacturer's directions for respirator use.

Hand protection: Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.

Section VIII - Exposure Controls / Personal Protection

Eye protection: Wear appropriate eye protection.

Skin and body protection: Prevent contact with shoes and clothing. Use rubber apron and overshoes.

Protective measures: Use professional judgment in the selection, care, and use.

Engineering measures: Use only in well ventilated areas. Provide maximum ventilation in enclosed areas. Use local

exhaust when the general ventilation is inadequate.

	9			
Chemical Name:	CAS Number :	Regulatión:	Limit:	Form:
Iron Oxides	1309-37-1	ACGIH TWA:	10 mg/m3	
	51274-00-1	OSHA PEL:	15 mg/m3	Total Dust
	1317-61-9	OSHA TWA:	15 mg/m3	Total Dust
		OSHA TWA:	5 mg/m3	Respirable Fraction
Crome Oxide	1308-38-9	OSHA PEL:	0.5 mg/m3	Total Dust
Cobalt Oxide	1307-96-6	OSHA PEL:	0.1 mg(Co)/m3	Total Dust
Titanium Oxide	13463-67-7	ACGIH TWA:	10 mg/m3	
		OSHA PEL:	15 mg/m3	Total Dust
		OSHA TWA:	15 mg/m3	Total Dust
		OSHA TWA:	5 mg/m3	Respirable Fraction
Crystalline Silica	14808-60-7	OSHA TWA:	0.1 mg/m3	Respirable.
(Quartz)/Silica Sand		OSHA TWA:	0.3 mg/m3	Total dust.
		OSHA PEL:	15 mg/m3	Total dust.
		OSHA PEL:	5 mg/m3	Respirable fraction
		ACGIH TWA:	0.025 mg/m3	Respirable fraction.
Calcium stearate	1592-23-0	ACGIH TWA:	10 mg/m3	

Section IX - Physical and Chemical Properties

Specific Gravity: 1.51
Form: Powder
Color: All Colors
Odor: None

: Hq Not available. Not available. Vapour pressure : Vapor density: Not available. Melting point/range: Not available. Freezing point: Not available. Boiling point/range: Not available. Water solubility: Not available. % Volatile Weight: 0.0 %

Section X - Reactivity / Estability

Reactivity: Stable

Incompatibilities: Reacts with strong acid to emit carbon dioxide

Decomposition or Byproducts: None

Hazardous Polymerization: Will not occur under normal conditions.

Conditions to Avoid: None

Stability: Material is stable under normal storage, handling, and use.

Substances to avoid: Not Applicable.

Section XI - Toxicological Information

No Data Available

Section XII - Ecological Information

No Data Available

Section XIII - Disposal Considerations

Disposal Method: Not regulated under RCRA. Dispose of in compliance with state and local regulations. Do not incinerate.

Section XIV - Transportation / Shipping Data

DOT Hazard Class:

Not regulated

Section XV - Regulatory Information

North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components:

None present or none present in regulated quantities.

SARA 311/312 Hazards:

Acute Health Hazard, Chronic Health Hazard

OSHA Hazardous Components:

Calcium stearate

1592-23-0

Crystalline Silica (Quartz)/ Silica Sand

14808-60-7

OSHA Status:

Considered hazardous based on the following criteria: Irritant

OSHA Flammability: Not Regulated

Regulatory VOC (less water and exempt solvent): 0 g/l

VOC Method 310:0%

Chemical is listed as an IARC, NTP, OSHA, or ACGIH Carcinogen:

Crystalline Silica (Quartz)/ Silica Sand

14808-60-7

U.S. State Regulations:

MASS RTK Components :	Crystalline Silica (Quartz)/ Silica Sand	14808-60-7
 Penn RTK Components :	Calcium stearate	1592-23-0
	Crystalline Silica (Quartz)/ Silica Sand	14808-60-7
NJ RTK Components :	Calcium stearate	1592-23-0
	Crystalline Silica (Quartz)/ Silica Sand	14808-60-7

Section XVI - Other Information

HEALT	1	0 = Minimum
FLAMMABILITY	0	1 = Slight
REACTIVITY	0	2 = Moderate
PPE		3 = Serious
		4 = Severe

Section XVI - Other Information

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

RCRA - Resource Conservation and Recovery Act

DOT - Department of Transportation RTK - Right To Know

DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act

EPA - Environmental Protection Agency STEL - Short Term Exposure Limit HMIS - Hazardous Materials Information System TLV - Threshold Limit Value

IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act

MSHA - Mine Safety Health Administration TWA - Time Weighted Average

NDSL - Non-Domestic Substance List V - Volume

NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound

NTP - National Toxicology Program

WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Safety and Health Administration

References:

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response,

Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation

EINECS: European Inventory of Existing Commercial

chemical Substances

ENCS: Existing and New Chemical Substances IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

Inh: Inhalation

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NOEC: No observable effect concentration

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values for Chemical Sunstances and Physical Agents & Biological Exposure Indices for 2015.

2. International Agency for Research on Cancer Monographs, searched 2015.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).

4. Material Safety Data Sheet from manufacturer.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,

2015.

5. US EPA Title III List of Lists

6. California Proposition 65 List

DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product:

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label.

10.05M

QC Release Powder II

QC Release Powder II